

Easy Drain[®]
by ess

R-line Clean Color Wall | Geborsteld | Dryphon

Ontdek de Easy Drain R-Line Clean Color. De douchegoot is leverbaar in een aantal trendy kleuren en is voorzien van onze onderhoudsarme Dryphon Techniek. De douchegoot is o.a. leverbaar in de kleuren brushed stainless steel, matt black, matt white, brushed black chrome, brushed bronze, brushed brass en brushed red gold. Hierdoor is hij perfect te combineren met andere items in jouw badkamer.

FEATURES

- Available lengths - 700 - 1200 mm
- Installation - Easy - quick and watertight installation
- Drainage capacity - according to EN 1253
- Grate - Height adjustable grate
- Suitable for - New construction and renovation
- Supplied as - Complete set
- Material - High-quality stainless steel
- Dryphon[®] technology - More power - less cleaning



Manufacturer

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
info@esspost.com | www.easydrain.com

Contact

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
sales@esspost.com | www.easydrain.com

GENERAL

Serie	R-line
Name	R-line Clean Color Wall Geborsteld Dryphon
Model	Rectangular shower drain
Length (mm)	700, 800, 900, 1000, 1200
Product type	Complete
Application	Renovation, New construction
Certification	N.A.

INSTALLATION

Substrate	Concrete / Sand Cement, Wooden floors, Lewis sheets, Synthetic, Concrete
Floor finish	Tiles / Mosaic
Height adjustable feet	N.A.
Installation option	Wall
Outlet	Horizontal (Vertical outlet optional)
Connection (mm)	40
Min. installation depth (mm) (built-in set)	69
Min. installation depth (mm) (incl. grate)	69

DRAINAGE

Max. drainage capacity entrance (l/min)	60
Max. drainage capacity wall (l/min)	60
Max. drainage capacity (l/min)	60

BUILT-IN SET

Pre-assembled sealing membrane	N.A.
Siphon features	Cleanable, Pivotal & adjustable, Height adjustable
Water seal height (mm)	28 / 50;30
Outlet	Horizontal (Vertical outlet optional)
Material siphon	Polypropylene (PP)

DESIGN

Grate finish	Brushed stainless steel
Grate pattern	Slot
Grate width (mm)	76
Grate tile insert (mm)	N.A.
Adjustable grate	Yes
Frame type	N.A.
TAF Frame material	N.A.
Design frame finish	N.A.
Frame width (mm)	N.A.
Wheelchair accessible	Yes
Extension set available	N.A.



Manufacturer

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 info@esspost.com | www.easydrain.com


Contact

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 sales@esspost.com | www.easydrain.com

ARTICLE CODE

700 mm	RLCED700WBST		
800 mm	RLCED800WBST		
900 mm	RLCED900WBST		
1000 mm	RLCED1000WBST		
1200 mm	RLCED1200WBST		

TECHNICAL DRAWINGS



Manufacturer

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 info@esspost.com | www.easydrain.com

Contact

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 sales@esspost.com | www.easydrain.com